

User Manual

XIO Soundbar




Table of Contents

1. Introduction.....	5
2. General Information	6
2.1 Reading and Storing the User Manual.....	6
2.2 Signal Symbol/Word Definitions.....	6
3. Quick Start Guide	7
4. Setting Up XIO.....	17
4.1 Selecting an Appropriate Router	17
4.2 Placement.....	18
4.3 Connecting XIO to Power and TV	18
4.4 Onboarding.....	19
4.4.1 Installing the KEF Connect App.....	19
4.4.2 Using iOS Devices.....	20
4.4.3 Using Android Devices.....	22
4.5 Setting up XIO without Network.....	25
4.6 Wall Mounting Instructions.....	26
4.6.1 Installation	26
4.6.2 Cable Management.....	27
5. Connection and Control Interface.....	29
5.1 Control Panel.....	29
5.2 IR Receivers.....	29
5.3 Back Panel.....	29
5.4 Remote Control.....	30
5.5 Basic LED Indications.....	31
6. Playing Audio from your TV	33
6.1 HDMI Cable Connection	33
6.2 Selecting TV Mode	34
6.3 Playback Controls.....	34
7. Playing Audio via Wi-Fi Connection.....	35
7.1 Wi-Fi Connection	35
7.2 Selecting Wi-Fi Mode.....	35
7.3 Multi-Room Streaming.....	36
7.3.1 AirPlay	36
7.3.2 Google Cast.....	37
7.4 Voice Control over Mobile Device.....	39
7.4.1 Siri.....	39
7.4.2 Google Assistant.....	39
8. Playing Audio via Bluetooth Connection.....	40
8.1 Selecting Bluetooth Mode	40
8.2 Bluetooth Pairing	40
8.3 Playback Controls.....	41
9. Playing Audio via Optical Connection	42
9.1 Optical Cable Connection	42
9.2 Selecting Optical Mode.....	43
9.3 Playback Controls.....	43
10. Using KEF Connect App	44
10.1 Home.....	44

10.1.1	Editing Home Screen	45
10.2	Remote Control	45
10.3	Music Content	46
10.3.1	Playing Music from Music Streaming Services	47
10.3.1.1	Amazon Music	47
10.3.1.2	Deezer	48
10.3.1.3	HIGHRESAUDIO	49
10.3.1.4	Qobuz	50
10.3.1.5	Spotify	51
10.3.1.6	Tidal	52
10.3.1.7	Internet Radio	53
10.3.1.8	Podcast	53
10.3.1.9	Custom Stations	54
10.3.2	Playback Controls	55
10.3.2.1	Playback Screen	55
10.3.2.2	Search	55
10.3.2.3	Favourites	56
10.3.2.4	Playing Queue	57
10.3.2.5	Playlists	59
10.4	Equalisations	62
10.4.1	EQ Wizard	62
10.4.2	Calibrate with IPT	64
10.4.3	Normal Mode	65
10.4.4	Expert Mode	67
10.4.5	Understanding the Settings	69
10.4.6	Selecting a EQ Profile	70
10.4.7	Renaming a EQ Profile	70
10.4.8	Deleting a EQ Profile	71
10.5	Account Profile	72
10.6	Choosing Your Speaker	73
10.6.1	My Speaker and Speakers Nearby	73
10.6.2	Speaker Info	74
10.7	Speaker Preferences	75
10.7.1	Power On Options	75
10.7.1.1	Standby Mode	75
10.7.1.2	Second Wake-Up Source	75
10.7.1.3	Auto-Switch to TV Source	75
10.7.2	Do Not Disturb	76
10.7.2.1	Control Panel LED	76
10.7.2.2	Control Panel in Standby	76
10.7.2.3	Start Up tone	76
10.7.2.4	Control Panel Lock	76
10.7.3	Speaker System Options	76
10.7.3.1	Preferred Virtualiser	76
10.7.4	Subwoofer System Options	76
10.7.4.1	Wake Sub On Start-Up	76
10.8	Volume	77
10.8.1	Volume Control	78
10.8.1.1	Volume Display Settings	78
10.8.1.2	Speaker Volume Sensitivity	78
10.8.1.3	Hardware Volume	78
10.8.1.4	Maximum Volume	78
10.8.2	Wake Up Volume	79

10.9	Schedule.....	80
10.9.1	Setting Up a Sleep Timer.....	80
10.9.2	Setting Up an Alarm.....	81
10.9.3	Turning On or Off a Scheduled Alarm.....	81
10.9.4	Turning Off a Ringing Alarm.....	82
10.9.5	Deleting a Scheduled Alarm.....	82
10.10	Performance.....	83
10.10.1	Streaming Settings – Audio Quality.....	83
10.10.2	Network Quality.....	84
10.11	Speaker Update.....	85
10.11.1	Automatic Firmware Check.....	85
10.11.2	Manual Firmware Update.....	85
10.12	Application.....	86
10.12.1	Theme Settings – Theme.....	86
10.12.2	Theme Settings – Reset Home Screen.....	86
10.12.3	Analytics – Improve App/Speaker.....	86
10.13	Remote Control.....	87
10.13.1	IR Reception.....	88
10.13.2	Favourite Button.....	88
10.13.3	EQ Presets.....	88
10.14	Google Cast.....	88
10.15	Support.....	89
11.	Spatial Audio Codec.....	90
11.1	Compatibility with XIO.....	90
12.	Cleaning and Maintenance.....	91
13.	Disposal.....	92
13.1	Disposing of the Packaging.....	92
13.2	Disposing of the Speakers.....	92
13.3	Disposing of the Battery.....	92
14.	FAQ and Troubleshooting.....	93
15.	Appendix.....	96
15.1	Specifications.....	96
15.2	Logos and Trademarks.....	98
15.3	Product Dimensions.....	100
15.3.1	XIO.....	100
15.3.2	Wall Mounting Kit.....	101
15.4	Speaker Connection Test.....	102
15.5	Power Consumption.....	107
15.6	Explanation of symbols.....	107
15.6.1	Warning/Safety Symbols.....	107
15.6.2	Regional Symbols.....	107
15.7	IR Command Codes.....	110

1. Introduction

Thank you for choosing KEF soundbar – X10.

Innovation is what sets KEF apart from its competitors. For over 60 years KEF has been at the forefront of loudspeaker research and development, designing class-leading speakers that have dealt with the challenges of reproducing the latest musical formats, and reproducing them to the highest possible quality.

This legacy continues today with X10, our powerful soundbar system for the digital audio era, promising an unrivaled spatial audio adventure that transforms your TV viewing into a cinematic masterpiece.

Please read and follow this user manual carefully before using the soundbar system.

2. General Information

2.1 Reading and Storing the User Manual



This user manual accompanies the XIO soundbar (hereafter referred to as "XIO"), and contains important information on setup and handling.

Before using your XIO, read this user manual and the safety information (as a separate booklet) carefully. This particularly applies to the safety information. Failure to do so may result in personal injury or damage to XIO.

Retain the user manual and safety information for further use. Make sure to include the user manual and safety information when passing XIO on to third parties.

2.2 Signal Symbol/Word Definitions

The following symbols and signal words are used in this user manual.

⚠ WARNING!

This signal symbol/word designates a hazard with moderate risk, which may result in death or severe injury if not avoided.

NOTICE!

This signal word warns of possible damage to property.




This symbol provides you with useful additional information on handling and use.

3. Quick Start Guide

In the Box


Check whether XIO or any parts are damaged or missed. If this is the case, do not use the product and contact your retailer.




*Wrapped with KEF-branded Velcro tapes. Use them to organise any loose cables.

Product Overview


Control Panel




IR Receivers



Back Panel




Remote Control



¹Favourite button is defaulted as Next source. EQ1 is defaulted as Dialogue mode. EQ2 is defaulted as Night mode.

²EQ1, EQ2 and Favourite buttons can be customised from the KEF Connect App.




Press on the circled areas to slide open or close the battery compartment cover. Battery life varies based on storage time and usage. Replace with new AAA alkaline batteries if you notice inconsistent performance or the LED indicator stops working.

Setting up XIO


1. Placement

Place XIO on a TV cabinet or mount it on a wall (see section [Wall Mounting Instructions](#)).

On a TV cabinet




On a wall




2. Connecting XIO to Power and TV

1. Connect the power cable and HDMI cable to XIO.




2. Connect the plug of the power cable into the power socket/outlet.

3. Press the power switch (I/O) to set it to the "I" (ON) position.



4. Wait for around 30 seconds while XIO is booting up. The volume level indicators blink sequentially during this process.



3. Setting up XIO with or without Network

3.1 Setting up XIO with Network

For optimal performance, set up XIO with a Wi-Fi network.

1. Download and install "KEF Connect" on your iOS* or Android** device.




KEF CONNECT




*Requires iOS 14 or above. Refer to App Store for the latest requirements (subject to change).

**Requires Android 10 or above. Refer to Google Play for the latest requirements (subject to change).

2. Check the Wi-Fi icon on the control panel of XIO. It is ready to be onboarded if the Wi-Fi icon blinks amber/white alternately.



3. Launch the KEF Connect App, create a user account and follow the on-screen instructions to set up XIO.




3.2 Setting up XIO without Network


If your Wi-Fi network is unstable, you can set up XIO without it.

WARNING! This will limit the XIO controls, functionalities and customisations. All important feature updates will also be missed.

1. Make sure that XIO is in the setup mode. The Wi-Fi icon should blink amber/white alternately.




2. Press and hold the Mute button on the remote control until XIO is in the Bluetooth discovery mode.



The Wi-Fi functionality is now disabled.

4. Playing Audio from your TV


1. Switch the source to TV through the control panel, remote control or KEF Connect App. The TV icon turns on solid white if connection is made.



- Make sure the HDMI cable is connected to the eARC port of the TV, and the HDMI CEC connection is enabled in the TV settings. For details, refer to the user manual for the TV.

2. Play content on the TV and enjoy the experience with XIO.

KEF Connect App Overview



Basic LED Indications

LED	Status
	The volume level indicators blink sequentially. XIO is booting up.
	Wi-Fi icon is blinking white and amber. Ready to connect to a Wi-Fi network. Launch the KEF Connect App to set up XIO.
	Wi-Fi icon is solid white. Connected to a Wi-Fi network.
	TV icon is blinking. Connecting to a TV.
	TV icon is solid white. Connected to a TV.
	Bluetooth icon is pulsing. In Bluetooth discovery mode, and ready to pair with a Bluetooth device.
	Bluetooth icon is solid white. Connected to a Bluetooth device.


LED

Status



Optical icon is solid white.

XIO is in the Optical mode.




Mute icon is blinking.

XIO is muted.



Codec indicator turns on.

Blue: Dolby Atmos
Orange: DTS:X




Source button and Volume Down button are blinking alternately.

Firmware update is in progress. Do not unplug the power cable until the firmware update is completed.

FAQ

1. How to reset XIO?

Press and hold the reset button (RE) on the back panel until the indicator above the button blinks.



2. What should I do if I see the LED indications below?



Wi-Fi icon is blinking amber slowly.

XIO is unable to connect to a Wi-Fi network.


1. Check and make sure the stability of your Wi-Fi network.
2. Reset and re-connect XIO to the network.
3. Alternatively, you can use a LAN cable to connect XIO directly to the router.



Source button and Volume Down button are blinking slowly.

Firmware update interrupted. **DO NOT RESET XIO.**

1. Disconnect the power cable from XIO.
2. Wait approximately 60 seconds.
3. Plug the power cable back to XIO.
4. Perform the firmware update again on the KEF Connect App.



On/off button is blinking.

There is a system error.

1. Disconnect the power cable from XIO.
2. Wait approximately 30 minutes.
3. Plug the power cable back to XIO to resume normal operation.

Note: System error may occur with improper power connection. Do not use a socket/outlet extender with XIO.


If the problem persists, please contact your KEF support team.

Wall Mounting Instructions


⚠️ WARNING!

- No attempt should be made to install XIO on the wall unless you are sure that you will not be cutting through electric cables, water or gas pipes, or supporting joists.
- Make sure the wall on which XIO will be installed is flat, smooth and vertical.
- Make sure that the wall on which XIO will be installed is undamaged, and that it can support 20 kg per mounting point.
- The mounting kit provided is suitable for concrete walls. Seek professional advice about the installation materials suitable for your wall prior to mounting and replace them if necessary.

1. Determine the installation location using the supplied wall mounting template.
2. Tape the wall mounting template below the TV. Use a spirit level to ensure the template is leveled. Follow the template making sure XIO is at least 25 mm (0.98 in.) below the TV.
Remarks: We suggest leaving at least 100 mm (3.9 in.) of open space above XIO for optimal sound performance.
3. Follow the wall mounting template drilling four holes on the wall with an electric drill.



4. Remove the wall mounting template.
5. Insert the wall anchors into the drilled holes. Then place the wall brackets on the wall and drive the screws into the drilled holes through the wall brackets.
6. Hang XIO on the protruding heads of the wall brackets. Make sure the protruding heads are locked into the mounting holes on the back of XIO.



Hint: Make sure the power cable and HDMI cable are well connected to the back of XIO. A 12 mm space is reserved between the wall and XIO for routing the HDMI cable back to the TV.

7. Continue your setup by following the instructions in section [Connecting XIO to Power and TV](#).

4. Setting Up XIO

4.1 Selecting an Appropriate Router

XIO must be "onboarded" to your Wi-Fi network (see chapter [Onboarding](#)) for the best sound quality, wireless streaming and comprehensive control.

Technical Requirements of your Router


- Network standard: IEEE 802.11a/b/g/n/ac, IPv4, IPv6,
- Frequency band: Dual-band 2.4 GHz / 5 GHz

 • A 5 GHz Wi-Fi network is recommended for stable streaming, especially for hi-resolution music.

• **Connecting to a guest, office or public network:** Office, hotel, guest and public networks often feature additional security or authentication methods which may prevent XIO from connecting. You may need the help of the network administrator to configure the network to allow full functionality if using these kinds of networks.


4.2 Placement

Place XIO on a TV cabinet or mount it on a wall (see chapter [Wall Mounting Instructions](#)).




4.3 Connecting XIO to Power and TV


1. Connect the power cable and HDMI cable to XIO. Then, connect the HDMI cable to the eARC/ARC port of the TV.



2. Connect the plug of the power cable into the power socket/outlet.
3. Press the power switch (IO) to set it to the "I" (ON) position.



4. Wait for around 30 seconds while XIO is booting up. The volume level indicators blink sequentially during this process.



4.4 Onboarding


4.4.1 Installing the KEF Connect App

Install the KEF Connect App on your mobile device to get XIO "onboarded" to your Wi-Fi network.

1. Search "KEF Connect" in the App Store or Google Play Store to download and install the KEF Connect App on your iOS* or Android** device.



2. Launch the KEF Connect App on your device and create a user account. You may log in with your existing Facebook, Google or Apple account, or create a new KEF account with your email address.




*Requires iOS 14 or above. Refer to App Store for the latest requirements (subject to change).

**Requires Android 10 or above. Refer to Google Play for the latest requirements (subject to change).

4.4.2 Using iOS Devices

1. Make sure your mobile device is connected to the network you want to onboard your XIO to.
2. Check the Wi-Fi icon on the control panel of XIO. It is ready to be onboarded if the Wi-Fi icon blinks amber/white alternately.



3. Launch and login to the KEF Connect App on your mobile device.
4. Select "KEF XIO" under "Speakers nearby".

The speakers with the warning sign (⚠) are not set up yet. Select the speakers with this warning mark to get them "onboarded".


The speakers with the check mark (✓) are ready for use. This icon will show for speakers already onboarded or directly connected to the network via a cable.

5. Select your local Wi-Fi network. Press "Next" to begin the onboarding process.

You may rename XIO by tapping "Speaker name".


6. The onboarding process will be done automatically. Tap "Done" when the process is completed.

[Step 4-6]




7. You may be required to update the firmware if a new version is available. Tap "Next" when the update is completed.

8. You may also enable the second wake up source to TV. By doing so, XIO will automatically wake up whenever your TV powers on. Tap "Enable" to activate this function.




9. Finally, you may customise your audio setting with the help of KEF EQ Wizard. Tap "Start" to do so.



4.4.3 Using Android Devices

1. Make sure your mobile device is connected to your local Wi-Fi network.
2. Check the Wi-Fi icon on the control panel of XIO. It is ready to be onboarded if the Wi-Fi icon blinks amber/white alternately.




3. Launch and login to the KEF Connect App on your mobile device.
4. Allow the app to access your device's location when requested.
5. Select "KEF XIO" under "Speakers nearby".

The speakers with the warning sign () are not set up yet.

The speakers with the check mark () are ready for use.

6. Allow the app to access your device's Bluetooth when requested.


[Step 4-6]




7. Tap "Choose a Wi-Fi network".
8. Select your local Wi-Fi network and then tap "Next".
9. Input the password of your local Wi-Fi network and then tap "Next".
10. Connection process will be done automatically. Tap "Next" when the process is completed.

If preferred, create a new name for the speakers and then tap "Next". This name will be used for Wi-Fi and Bluetooth connections.


[Step 8-10]




11. You may be required to update the firmware if a new version is available. Tap "Next" when the update is completed.
12. Activate Google Cast, or set up later in "Settings".



13. You may also enable the second wake up source to TV. By doing so, XIO will automatically wake up whenever your TV powers on. Tap "Enable" to activate this function.



14. Finally, you may customise your audio setting with the help of KEF EQ Wizard. Tap "Start" to do so.




4.5 Setting up XIO without Network


If your Wi-Fi network is unstable, you can set up XIO without it.

WARNING! This will limit the XIO controls, functionalities and customisations. All important feature updates will also be missed.

1. Make sure that XIO is in the setup mode. The Wi-Fi icon should blink amber/white alternately.



2. Press and hold the Mute button on the remote control until XIO is in the Bluetooth discovery mode.



The Wi-Fi functionality is now disabled.



If you want to set up XIO via Wi-Fi again, a factory reset is necessary.

4.6 Wall Mounting Instructions

4.6.1 Installation


⚠ WARNING!

- No attempt should be made to install XIO on the wall unless you are sure that you will not be cutting through electric cables, water or gas pipes, or supporting joists.
- Make sure the wall on which XIO will be installed is flat, smooth and vertical.
- Make sure that the wall on which XIO will be installed is undamaged, and that it can support 20 kg per mounting point.
- The mounting kit provided is suitable for concrete walls. Seek professional advice about the installation materials suitable for your wall prior to mounting and replace them if necessary.


1. Determine the installation location using the supplied wall mounting template.
2. Tape the wall mounting template below the TV. Use a spirit level to ensure the template is leveled. Follow the template making sure XIO is at least 25 mm (0.98 in.) below the TV.

Remarks: We suggest leaving at least 100 mm (3.9 in.) of open space above XIO for optimal sound performance.

3. Follow the wall mounting template drilling four holes on the wall with an electric drill.



4. Remove the wall mounting template.
5. Insert the wall anchors into the drilled holes. Then place the wall brackets on the wall and drive the screws into the drilled holes through the wall brackets.
6. Hang XIO on the protruding heads of the wall brackets. Make sure the protruding heads are locked into the mounting holes on the back of XIO.



Hint: Make sure the power cable and HDMI cable are well connected to the back of XIO. A 12 mm space is reserved between the wall and XIO for routing the HDMI cable back to the TV.


7. Continue your setup by following the instructions in section [Connecting XIO to Power and TV](#). Also see instructions in section [Cable Management](#).

4.6.2 Cable Management




Tips on cleaner setup:


- Use the KEF-supplied HDMI cable — Ultra High Speed HDMI-certified for up to 8K/60Hz and full eARC support. It is compact and flexible for easy and clean routing.
- Use the KEF-supplied Velcro tapes (wrapped around the HDMI and power cables) to neatly secure and organise any loose cables.
- Use the centre hole of the wall-mounting template as a guide to create a small cut-out (6 cm or above) in the wall for cable routing (see the blue circle in the figure below). This allows the cables to route directly back through the wall for a seamless, clutter-free installation.




1. Connect the power cable and HDMI cable to XIO.




2. Hang XIO on the protruding heads of the installed wall brackets. The connected cables can be routed through the space between the wall and XIO and guided through the wall cut-out.



3. Tighten the cables using the KEF-supplied Velcro tape.




4. Tidy up the cables.




5. Connection and Control Interface


5.1 Control Panel



5.2 IR Receivers




5.3 Back Panel




XIO is compatible with KW2 RX Receiver via wireless connection. Please refer to the user manual of KW2 RX Receiver for details.

5.4 Remote Control



¹ Favourite button is defaulted as Next source. EQ1 is defaulted as Dialogue mode. EQ2 is defaulted as Night mode.



² EQ1, EQ2 and Favourite buttons can be customised from the KEF Connect App.




- Insert two AAA batteries into the battery compartment before use. To do so, press on the circled areas to slide open or close the battery compartment cover.
- Point the remote control to one of the IR receivers. Make sure there are no obstacles between the remote control and XIO during use.
- Battery life varies based on storage time and usage. Replace with new AAA alkaline batteries if you notice inconsistent performance or the LED indicator stops working.


5.5 Basic LED Indications

The connection and operation status can be easily checked through the colours and patterns of the LED indicators on the control panel.

LED	Status
	The volume level indicators blink sequentially. XIO is booting up.
	Wi-Fi icon is blinking white and amber. Ready to connect to a Wi-Fi network. Launch the KEF Connect App to set up XIO.
	Wi-Fi icon is solid white. Connected to a Wi-Fi network.
	TV icon is blinking. Connecting to a TV.
	TV icon is solid white. Connected to a TV.
	Bluetooth icon is pulsing. In Bluetooth discovery mode, and ready to pair with a Bluetooth device.
	Bluetooth icon is solid white. Connected to a Bluetooth device.

LED**Status**


Optical icon is solid white.
XIO is in the Optical mode.



Mute icon is blinking. XIO is muted.



Codec indicator turns on.
Blue: Dolby Atmos
Orange: DTS:X



Source button and Volume Down button are blinking alternately.


Firmware update is in progress. Do not unplug the power cable until the firmware update is completed.

6. Playing Audio from your TV

XIO is compatible with HDMI eARC (Enhanced Audio Return Channel) output from your TV for integrated control through a single HDMI cable.

6.1 HDMI Cable Connection


Connect the HDMI output port of your TV and the TV eARC port (V) on the back panel of XIO via an HDMI cable.



- In your TV setting, turn on HDMI CEC in the HDMI settings.
- Refer to the user manual of your TV for details as manufacturers may name the HDMI connections differently (e.g. Anynet+ for Samsung, Simplink for LG).

6.2 Selecting TV Mode

1. Switch the source to TV through the control panel, remote control or KEF Connect App. The TV icon turns on solid white if connection is made.



- Make sure the HDMI cable is connected to the eARC port of the TV, and the HDMI CEC connection is enabled in the TV settings. For details, refer to the user manual for the TV.
- 2. Play content on the TV and enjoy the experience with XIO.

6.3 Playback Controls

All playback controls can be done with the remote control of your TV.


7. Playing Audio via Wi-Fi Connection

7.1 Wi-Fi Connection

Install the KEF Connect App on your mobile device to get XIO “onboarded” to your Wi-Fi network (see chapter [Onboarding](#)).

7.2 Selecting Wi-Fi Mode

1. Switch the source to Wi-Fi through the control panel, remote control or KEF Connect App. The Wi-Fi icon turns on solid white if connection is made.




2. Play content on your mobile device and enjoy the experience with XIO.

7.3 Multi-Room Streaming

7.3.1 AirPlay

Apple Airplay can extend XIO to become part of a multi-room wireless music system which can be controlled with iOS devices. If you have more than one pair of AirPlay speakers connected to the same network, select the pairs for playback of the same audio output at the same time.



You can control the volume of the speakers individually or together as a group.





Note: Legacy AirPlay (AirPlay 1) speakers are not compatible with multi-room streaming.

For more support, visit [Apple](#).


7.3.2 Google Cast

You can group the speakers and Google Cast devices together for synchronous music throughout the home.


1. Make sure you have accepted the Google Cast requirements.
2. Check your mobile device if it is connected to the same Wi-Fi network or linked to the same account as your speakers.
3. Open the Google Home App.
4. Follow the instructions in the App to add "KEF XIO" to "Home".



5. Tap "Settings" and then the ">" icon in the "Devices, groups and rooms" section.




6. Tap each device (including the sets of speakers) you want to add to the group. A check mark will appear next to each device you have selected.



7. Tap "Next"

8. Enter a name for your group.




9. Tap "Save".

7.4 Voice Control over Mobile Device


7.4.1 Siri

You can use Siri to control playback (e.g. skipping tracks, controlling the volume level) while your iOS mobile device is streaming music to XIO.



7.4.2 Google Assistant

You can use Google Assistant to control playback (e.g. skipping tracks, controlling the volume level) while your Android mobile device is streaming music to XIO.




8. Playing Audio via Bluetooth Connection

You can pair your Bluetooth devices (e.g. computers) with XIO through Bluetooth connection.

8.1 Selecting Bluetooth Mode

- Switch the source to Bluetooth through the control panel, remote control or KEF Connect App. The Bluetooth icon turns on solid white if connection is made.




8.2 Bluetooth Pairing


1. In Bluetooth mode, check the Bluetooth icon on the control panel. If it is pulsing, XIO is in the discovery mode and ready to pair with a Bluetooth device.



If the Bluetooth icon stays lit, XIO is already paired with a Bluetooth device. To disconnect the connected Bluetooth device, press once the Bluetooth pairing button (BP) on the back panel. The Bluetooth icon pulses when it is ready to pair with a new Bluetooth device.



Alternatively, press the Bluetooth pairing icon located at the upper right corner of the remote control in the KEF Connect App to disconnect the paired device.




2. Turn on the Bluetooth feature of your device and select "KEF XIO" (or the name you have created for XIO) from the list of available devices to pair.

When Bluetooth pairing is done, the Bluetooth icon will stay lit.

i XIO remembers your most recently paired Bluetooth devices. Once Bluetooth mode is selected, XIO will automatically connect with your recently-paired device if it is around.

8.3 Playback Controls

In the KEF Connect App, use the control elements below for playback controls. The volume control, play/pause, previous and next functions can also be operated on the remote control.




9. Playing Audio via Optical Connection

You can connect your devices with optical output (e.g. TV and game consoles) to XIO through an optical cable.

9.1 Optical Cable Connection


Connect the optical output of your device and the optical input (O) on the back panel via an optical cable.



Make sure your TV is set to output digital audio in PCM format. Refer to the user manual of your TV for details.

9.2 Selecting Optical Mode

1. Switch the source to Optical through the control panel, remote control or KEF Connect App. The OPT icon turns on solid white if connection is made.




2. Play content on the device and enjoy the experience with XIO.

9.3 Playback Controls

All playback controls (except adjusting volume) must be done on the connected device.

10. Using KEF Connect App


10.1 Home




10.1.1 Editing Home Screen

You may edit the Home screen to show or hide tiles (e.g. Music in the Cloud) or buttons that are of frequent or less frequent use.

1. Tap the edit icon () at the top right of the app.
2. Tap the "+" or "-" symbols or drag and drop to show or hide a tile.




3. Tap the edit icon () at the top right of a tile.
4. Tap the "+" or "-" symbols or drag and drop to show or hide a button in the tile.



10.2 Remote Control


- Use the buttons under "Remote Control" to directly turn on XIO from that particular source, or change the audio source.



- To turn off XIO, tap the active source button.

10.3 Music Content

The KEF Connect App allows you to access and play back music from your music streaming services as well as Internet radio stations and Podcasts.



10.3.1 Playing Music from Music Streaming Services


10.3.1.1 Amazon Music




1. To stream music, tap "Amazon Music" under "Music in the Cloud" in the KEF Connect App.



2. Login to your Amazon Music account.



3. Browse and play music to start streaming.




10.3.1.2 Deezer




1. To stream music, tap "Deezer" under "Music in the Cloud" in the KEF Connect App.



2. Login to your Deezer account.



3. Browse and play music to start streaming.




10.3.1.3 HIGHRESAUDIO




1. To stream music, tap "HIGHRESAUDIO" under "Music in the Cloud" in the KEF Connect App.



2. Login to your HIGHRESAUDIO account.



3. Browse and play music to start streaming.




10.3.1.4 Qobuz




1. To stream music, tap "Qobuz" under "Music in the Cloud" in the KEF Connect App.



2. Login to your Qobuz account.



3. Browse and play music to start streaming.



10.3.1.5 Spotify




1. To stream music, tap "Spotify" under "Music in the Cloud" in the KEF Connect App.



You will be prompted to the Spotify App on your device to stream music to XIO.

2. Browse and select music to play in the Spotify App.
3. Tap the device icon () at the bottom of the playback screen.
4. Select "KEF XIO" (or the name you have created for XIO) from the selection menu to start streaming.

[Step 2-4]




10.3.1.6 TIDAL




1. To stream music, tap "TIDAL" under "Music in the Cloud" in the KEF Connect App.



2. Login to your TIDAL account.




3. Browse and play music to start streaming.




10.3.1.7 Internet Radio

1. To access Internet radio, tap “Radio stations” under “Live Stream” in the KEF Connect App.



2. Browse and play a radio station to start streaming.




10.3.1.8 Podcast

1. To access podcast contents, tap “Podcasts” under “Live Stream” in the KEF Connect App.




2. Browse and play a podcast to start streaming.




10.3.1.9 Custom Stations

In case you cannot find radio stations in the Internet Radio, you can register them for easy access.

1. To access Custom Stations, tap "Custom Stations" under "Live Stream" in the KEF Connect App.




2. Tap "Add Radio URL".




3. Input the URL and station name of the radio station and then tap "Add". The registered radio station is now saved under Custom Stations for easy access.

Alternatively, tap the option "submit a request" to send a request to add it.




4. If necessary, tap a custom station to edit it.



10.3.2 Playback Controls

The below features are available to control playback or behaviour. Please note that these features may not be available to all music sources and there may be slight differences in the control interface.

10.3.2.1 Playback Screen



10.3.2.2 Search


Tap the search icon () to look for artists, albums or songs in the current music source.




10.3.2.3 Favourites

• Selecting or Deselecting Favourites

In the playback screen, tap the option icon (...) and then select "Add to favourite" or "Remove from favourite" to select or deselect an item (music, podcast, radio station) as favourites.



Alternatively, tap the option icon (...) next to an item (e.g. track, album, playlist), or press and hold on an item and then select "Add to Favourites" or "Remove from Favourites".



• Accessing your favourites

To show the favourites in your current music source, tap "Favourites" in the main menu.




10.3.2.4 Playing Queue


Adding a track to the queue means the track will be played after the current playing track. The queue is not permanent and cannot be saved.

• Adding a Track to the Queue

1. From the playback screen, tap the option icon (…).




2. Select "Add to Queue" to add the track to the end of the Queue. Or select "Play next" to add the track as the next song.



Depending on your selections, you can also add all tracks from an artist, all tracks from an album, or all tracks from a playlist to the queue.


• Showing the Current Queue

From the playback screen, tap the queue icon (≡) at the top right.



• Editing the Queue



1. To edit the playback sequence, press and hold the three bars () on the right hand side of a track and then drag the track up or down the queue.



2. To remove a track from the queue, tap the edit icon () at the top right.



3. Select the track in the queue and then tap the trash bin icon () to remove it from the queue. You may also select multiple tracks for removal or tap the select all icon () to select all tracks at once.



10.3.2.5 Playlists

A playlist is a list of tracks that can be played back in the preferred sequential order. Playlists can be saved for future listening.


• Accessing the Playlists

In the current music source, tap “Playlists” in the main menu.




• Creating a Playlist


1. From a list of tracks or from the playback screen, tap the option icon (•••) on the right.




2. Tap “Add to playlist”.



3. Tap “Create new playlist”.




4. Create a name for the playlist and then tap “Create”.



• Adding Tracks to a Playlist

1. From a list of tracks or from the playback screen, tap the option icon (...) on the right



2. Tap "Add to playlist".




3. Select the playlist you want to add the track to.




Depending on your selections, you can also add all tracks from an artist or all tracks from an album to the playlist.

• Editing a Playlist

1. In the playback screen of the track to be removed, tap the option icon (...).



2. Tap "Remove from playlist".



• Deleting a Playlist

1. In the playlist, tap the option icon (⋮) at the top right corner.



2. Tap "Delete playlist".




10.4 Equalisations

For the best audio performance, apply sound settings according to your listening area.


10.4.1 EQ Wizard

This feature helps customise your audio settings with our comprehensive EQ setup.

1. Tap "Start" to begin the EQ wizard.




2. Turn on the Intelligent Placement Technology (IPT) switch on the back panel. This will enable XIO to detect the positioning within your room and optimise the EQ settings. Then tap "Next".



3. Follow the instructions on the screen to proceed with the EQ setup.

How high is your soundbar?

How to measure on a TV cabinet



The distance from the floor to the bottom of the soundbar should be between 20cm and 100cm. Avoid placement outside of this range.



NEXT

What is your room size?

Less than 20m²

Between 20m² and 40m²

Greater than 40m²

NEXT

BACK

Do you want to set up a subwoofer?

SET UP NOW

SKIP

BACK

① To ensure your subwoofer outputs sound, please complete the setup. You can configure it later in EQ settings

Select your subwoofer

	
KEF KC62	KEF KF92/KC92
	
KEF Kube 8b/8MIE	KEF Kube 10b/10MIE
	
KEF Kube 12b/12MIE	KEF Kube 15 MIE
	+
KEF T2 Subwoofer	Other

On the back of your subwoofer

- Enable LFE mode by turning the cross-over dial to LFE, OR selecting LFE using the MODE switch (dependant on KEF subwoofer model)
- Set the Volume/Gain to 12 o'clock



Note:
The settings provided by KEF will provide excellent integration in most setups.
Further adjustments can be made using the in-app settings, allowing to fine-tune the system for your room and/or personal taste.

NEXT

Step
① — ② — ③

XIO orientation

Please select the position of XIO.



On a TV cabinet **On a wall**

NEXT

Step
① — ② — ③

Calibration in progress



① Calibration may take up to 45 seconds

Name your profile

You can rename it later in EQ settings.

Profile name

SAVE

Calibration Complete

Your speaker is now calibrated.

DONE


10.4.2 Calibrate with IPT

This feature enhances your XIO's audio performance by automatically adjusting the EQ settings to match your listening environment.


The calibration process takes approximately 45 seconds, during which the audio output will be paused.

If any interruptions occur – such as switching audio sources, using the remote control, or adjusting the control panel – the process will stop and need to be restarted.

1. Tap "Start" to begin IPT calibration.




2. Turn on the Intelligent Placement Technology (IPT) switch on the back panel. This will enable XIO to detect the positioning within your room and optimise the EQ settings. Then tap "Next".




3. Follow the instructions on the screen to proceed with the calibration.

10.4.3 Normal Mode


1. In the KEF Connect App, tap the EQ settings icon () at the bottom of the Home screen.
2. Tap "Add new profile". You may also tap "Start EQ Wizard" to guide you through the setup process, see chapter [EQ Wizard](#).




3. Select "Normal mode".



4. Create a name for your new profile and then tap "Save".



5. Configure the settings according to your listening area.




- Sound profile (Default / Music / Movie / Night / Dialogue / Direct)
- Calibrate with IPT (see chapter Calibrate with IPT)
- How high is your soundbar? (> 65 cm / > 100 cm)
- How large is the room? (< 20 m² / 20-40 m² / > 40 m²)
- Do you have a subwoofer connected (No / Yes)
- Subwoofer model
- Which wireless adapter are you using? (None / KW1* / KW2*)
- Soundbar/subwoofer balance
- Subwoofer volume (1 to 10)

6. Tap "Save" when the settings are done.


*KW1 and KW2 can be selected at the same time.

10.4.4 Expert Mode


1. In the KEF Connect App, tap the EQ settings icon () at the bottom of the Home screen.
2. Tap "Add new profile". You may also tap "Start EQ Wizard" to guide you through the setup process, see chapter [EQ Wizard](#).




3. Select "Expert mode".



4. Create a name for your new profile and then tap "Save".



5. The Expert Mode lets you configure the EQ preferences in greater precision. Configure the settings according to your listening area.



- Sound profile (Default / Music / Movie / Night / Dialogue / Direct)
- Calibrate with IPT (see chapter Calibrate with IPT)
- Treble Trim (-3.0 dB to 3.0 dB)
- Bass Extension (Less / Standard / Extra)
- Subwoofer connected (Yes/No)
- Subwoofer model
- High-Pass Frequency (On/Off, 50 Hz to 120 Hz)
- Sub Out Low-Pass Frequency (40 Hz to 250 Hz)
- Sub Gain (-3.0 dB to 3.0 dB)
- Sub Polarity (On/Off)
- Which wireless adapter are you using? (None / KW1* / KW2*)

*KW1 and KW2 can be selected at the same time.

10.4.5 Understanding the Settings

Sound profile:

- Default: A versatile setting suitable for most scenarios, balancing sound for both music and movies.
- Music: Optimizes sound for music, delivering balanced, natural audio with clear details and minimal effects.
- Movie: Enhances cinematic experiences by boosting dialogue, expanding the soundstage, and emphasizing impactful effects.
- Night: Enhances soft sounds and reduces loud ones by compressing dynamic range, ensuring clear, balanced audio without disturbing others during late-night viewing.
- Dialogue: Enhances speech clarity by emphasizing vocal frequencies and reducing background noise, making it ideal for TV shows, documentaries, and news programs where understanding spoken words is essential.
- Direct: Outputs audio without virtualisation or enhancement; for 2-channel music, sound only plays from two speakers.

How large is your room (Expert Mode: Bass Extension): This setting adjusts the bass extension of the speakers. The larger the room selected, the lower the roll-off point.

Soundbar/Subwoofer Balance: This controls the bass output between the soundbar and the subwoofer. If the slider is moved more to "Subwoofer", most of the bass output will be handled by the subwoofer.

High-Pass Frequency: Frequencies above the set point will be played by the soundbar.

Sub Out Low-Pass Frequency: Frequencies below the set point will be handled by the subwoofer. This can overlap with the high-pass frequency to help integrate the soundbar/subwoofer more effectively with no dip or peak in overall response.


Sub Gain: This changes the signal level output to the subwoofer.

Sub Polarity: Ideally, the soundbar and subwoofer should be moving in the same direction at the same time, otherwise frequencies can be cancelled out. Switching the polarity of the subwoofer can resolve a perceived lack of bass response.

Which wireless adapter are you using?: KW-1 and KW-2 are a subwoofer adapter kits which transmit signals wirelessly, enabling your subwoofer to be optimally placed. Enable this option if you are using KW-1 or KW-2.


10.4.6 Selecting a EQ Profile

1. In the KEF Connect App, tap the EQ settings icon () at the bottom of the Home screen.
2. Tap "Default" and then select a EQ profile to apply to the speakers. The profiles with a star icon are created in Expert mode.




10.4.7 Renaming a EQ Profile


1. In the selected EQ profile, tap the option icon () at the top right.



2. Tap "Rename profile".




3. Create a new name for your profile and then tap "Save".




10.4.8 Deleting a EQ Profile

1. In the selected EQ profile, tap the option icon (⋮) at the top right.




2. Tap "Delete profile".



10.5 Account Profile

This menu allows you to view your personal details (account name and profile picture) of your registered user account, or delete your account.

1. In the KEF Connect App, tap the Setting icon () at the bottom of the Home screen.
2. Tap "View profile".




3. To delete your account, tap "Delete Account" at the bottom of the screen and follow the instructions. The process may take up to 10 business days, and you will receive a confirmation email once it is completed.

10.6 Choosing Your Speaker


10.6.1 My Speaker and Speakers Nearby

This menu allows the KEF Connect App to switch to another pair of speakers for control and streaming. All speakers must first be set up through the same KEF Connect App before they are available for selection.

1. In the KEF Connect App, tap the Setting icon () at the bottom of the Home screen.
2. Tap the name of the connected speakers.



3. Select another pair of speakers for control and streaming.



-  Current speakers
-  Speakers on the same network but turned off
-  Speakers on the same network and ready for switching
-  Not set up yet with KEF Connect App
-  Already set up with KEF Connect App on another mobile device




The speakers under "Speakers Nearby" are on the same network but not ready yet to be controlled through the KEF Connect App on your mobile device.

10.6.2 Speaker Info

This menu allows you to find out more information about the connected speakers, rename the speakers and disconnect the speakers from the KEF Connect App.


1. In the KEF Connect App, tap the Setting icon () at the bottom of the Home screen.
2. Tap the name of the connected speakers.



3. Tap the info icon () next to the name of the speakers.




4. Check the MAC address, IP address and firmware version of the speakers. You can also rename the speakers, forget the speakers (disconnect them from the KEF Connect App) or perform factory reset.




10.7 Speaker Preferences

This menu allows you to configure various speaker preferences. To access this menu:

1. In the KEF Connect App, tap the Setting icon () at the bottom of the Home screen.
2. Tap “Speaker preferences”.



3. Configure the settings.



10.7.1 Power On Options

10.7.1.1 Standby Mode

This setting determines how long (ECO (20), 30 or 60 mins) the speakers will remain idle before automatically entering Standby Mode. If “never” is selected, the speakers must be manually turned off.

10.7.1.2 Second Wake-Up Source

This setting enables a second source to automatically turn on the speakers when there is audio input from the selected source. This option is not available when Standby Mode is set to ECO.

10.7.1.3 Auto-Switch to TV Source

This setting enables the speakers to automatically switch to the TV mode when your TV is powered on.

10.7.2 Do Not Disturb

10.7.2.1 Control Panel LED

This setting enables the LED indicator lights to fade out after 5 seconds of inactivity.

10.7.2.2 Control Panel in Standby

This setting enables the LED indicator lights to turn off when the speakers are in Standby mode.

10.7.2.3 Start Up tone

This setting enables the start up tone to be muted when the speakers are turned on.

10.7.2.4 Control Panel Lock

This setting enables the control panel to be locked (LED indication will still be on).

10.7.3 Speaker System Options

10.7.3.1 Preferred Virtualiser

This setting selects the preferred virtualiser (Dolby or DTS Virtual X).

10.7.4 Subwoofer System Options

10.7.4.1 Wake Sub On Start-Up

This setting wakes up the subwoofer simultaneously when the speakers turn on. The function only supports KEF subwoofers and may not be compatible with other subwoofers.

10.8 Volume

This menu allows you to configure volume settings. To access this menu:

1. In the KEF Connect App, tap the Setting icon (⚙) at the bottom of the Home screen.
2. Tap "Volume".



3. Configure the settings.

Volume Control

- Volume display settings: Slider (selected)
- Speaker volume sensitivity: Slider (8)
- Hardware volume: Switch off

Wake Up Volume

- Maximum volume: Switch on, slider at 70
- Reset volume: Switch on
- Reset volume for: Individual sources (selected)
- Select for: Wi-Fi (selected), Bluetooth, TV, Optical
- Set preferred volume: Slider (30)

10.8.1 Volume Control


10.8.1.1 Volume Display Settings

This setting allows you to configure how the volume control should be displayed.

- None: No volume control will be displayed during playback.
- Slider: The volume control will be displayed as a slider for adjustment.



Tap the speaker icon on the left to mute or restore audio output from the speakers.



- -/+: The volume control will be displayed as “-” and “+” buttons for adjustment.



Tap the speaker icon in the middle to mute or restore audio output from the speakers.



10.8.1.2 Speaker Volume Sensitivity

This setting allows you to configure the number of volume steps for each single press of the physical volume buttons of your device.

10.8.1.3 Hardware Volume

This setting is only available on iOS devices. The hardware volume buttons refer to the physical volume buttons on your device. Disable this setting when you are experiencing conflicts with other music streaming apps over Wi-Fi connection.


10.8.1.4 Maximum Volume

This setting allows you to configure the maximum level when adjusting the volume. The setting applies to all sources.


10.8.2 Wake Up Volume

This setting allows you to configure the speaker wake up volume to your desired level when the speakers are powered on. The setting can be applied to all sources, or you can set different wake up volume for each individual source.

Wake Up volume – All sources



Wake Up volume – Individual sources



10.9 Schedule

This menu enables you to set a sleep timer and alarm for your XIO. You can specify a sleep time, allowing the XIO to turn off according to your schedule. Additionally, XIO can automatically wake up with your set alarm and play audio based on your chosen album, playlist or radio channel. To access this menu:

1. In the KEF Connect App, tap the Setting icon () at the bottom of the Home screen.
2. Tap "Schedule".




10.9.1 Setting Up a Sleep Timer

1. Tap ">".



2. Select a preset sleep timer or tap ">" to customise it.




3. Tap "Start" to start the sleep timer.

10.9.2 Setting Up an Alarm

1. Tap "Add new alarm".




2. Set up the alarm details and then tap "Save".



Alarm sound: Follow the on-screen instructions to select your desired album, playlist, or radio channel for playing audio with the alarm schedule.


10.9.3 Turning On or Off a Scheduled Alarm

- Tap the button to activate or deactivate a scheduled alarm.




10.9.4 Turning Off a Ringing Alarm

- Tap "Stop" to stop the alarm until the next scheduled time, or tap "Snooze for 10 mins" to briefly mute the alarm.




10.9.5 Deleting a Scheduled Alarm

- Tap the edit icon ().




- Tap the “-” symbol to delete the unwanted alarm.




10.10 Performance

This menu allows you to configure the streaming settings and assess your network quality. To access this menu:

1. In the KEF Connect App, tap the Setting icon (⚙) at the bottom of the Home screen.
2. Tap “Performance”.



3. Configure the settings.



10.10.1 Streaming Settings – Audio Quality

This setting allows you to select the audio quality for music streaming services inside the KEF Connect app.

- Hi-Fi (Hi-Fi quality): Always select this setting for the best audio quality. The highest quality depends on the music streaming service and your subscription.
- High (CD quality): Select this setting when the speakers are in a crowded network and experiencing quality drop-outs.
- Normal (MP3 quality): Select this setting when the speakers are in a crowded network and experiencing audio drop-outs.


10.10.2 Network Quality

This setting allows you to assess your network quality. For details, see chapter [Speaker Connection Test](#).

- Speaker connection test: Select this option to perform a network quality check.



- Test history: Select this option to review the test history.



- Learn to improve your connection: Select this option to access the KEF website for tips on assessing and improving your network quality.

10.11 Speaker Update

10.11.1 Automatic Firmware Check

The speakers check the server every 4 hours if a new firmware update is available. If a firmware is available, it will check if the firmware update is compulsory or not.

If a firmware update is compulsory, it will start the update when:

- The speakers are in standby mode, or
- The Wi-Fi source or Bluetooth source has been idle for 60 minutes.

If a firmware update is not compulsory, it will be carried out when:

- The speakers are in standby mode between 2–3 am, or
- The Wi-Fi source or Bluetooth source has been idle for 60 minutes.


A firmware update will not occur when the speakers are in use.

10.11.2 Manual Firmware Update


This menu allows you to manually check for firmware updates.

To access this menu:

1. In the KEF Connect App, tap the Setting icon (⚙) at the bottom of the Home screen.
2. Tap "Speaker update".



3. If an update is available, tap "Update now" to proceed with the firmware update.




10.12 Application


This menu allows you to reset the home screen and send analytics.

To access this menu:

1. In the KEF Connect App, tap the Setting icon () at the bottom of the Home screen.
2. Tap "Application".



3. Configure the settings.



10.12.1 Theme Settings – Theme

This setting allows you to set a theme mode (System, Light or Dark).

10.12.2 Theme Settings – Reset Home Screen

This setting allows you to reset the Home screen of the app to default settings.

10.12.3 Analytics – Improve App/Speaker

This setting allows the KEF Connect app to anonymously send improvement analytics to KEF. We recommend this setting is enabled to help KEF to improve product performance.


10.13 Remote Control

This setting allows you to adjust the IR remote control responses on your speakers and customise the favourite and EQ buttons. To access this menu:


1. In the KEF Connect App, tap the Setting icon (⚙) at the bottom of the Home screen.
2. Tap “Remote control”.



3. Select “C2 remote”.



4. Configure the settings.



10.13.1 IR Reception

This setting allows you to enable or disable the IR reception on the speakers.

10.13.2 Favourite Button

This setting allows you to customise the function of the favourite button on the remote control (e.g. source selection, control panel lock, maximum volume settings, volume settings, Bluetooth pairing, and subwoofer output adjustment).


10.13.3 EQ Presets

This setting allows you to assign sound profiles (e.g. movie, dialogue) to the EQ buttons on the remote control.

10.14 Google Cast

This setting is related to Google Cast activation, sending device usage and crash reports to Google. To access this menu:

1. In the KEF Connect App, tap the Setting icon (⚙) at the bottom of the Home screen.
2. Tap "Google Cast".



10.15 Support


This menu allows you to report issues, give suggestions and make general enquiries.

To access this menu:

1. In the KEF Connect App, tap the Setting icon () at the bottom of the Home screen.
2. Tap "Support".



3. Select the type of support you need and proceed as instructed on the screen.



4. When reporting an issue, your email program will automatically attach the speaker logs that helps KEF investigate the issue. Please add a description of the problem in the email message as well.

11. Spatial Audio Codec

An audio codec is a device that encodes and decodes audio data. In addition, the spatial technology enables immersive, three-dimensional sound experiences. The spatial audio codec goes beyond traditional stereo by adding depth and spatial cues, allowing sounds to be perceived from various directions, including above and below the listener.

Examples of spatial audio codec:

- Dolby Atmos
- DTS:X
- SONY 360 Reality Audio,
- AirPlay Spatial Audio
- MP3

11.1 Compatibility with XIO

Feature	Optical	HDMI eARC	HDMI ARC	Wireless
Standard formats				
5.1 Surround (compressed)	✓	✓	✓	✓
5.1 Surround (uncompressed)	-	✓	✓	-
Object based formats				
Dolby Atmos®	-	✓	✓	✓
DTS:X®	✓	✓	-	✓
Sony 360 Reality Audio™	-	✓	-	✓
MPEG-H™	✓	✓	✓	✓
AirPlay® Spatial Audio	-	-	-	✓
Lossless formats				
Dolby TrueHD™	-	✓	✓	✓
DTS-HD® Master Audio (formerly DTS++)	✓	✓	-	✓

Note: Compatibility is subject to source and content parameters. Maximum supported sample rates and bit depths are shown for each configuration.

12. Cleaning and Maintenance

NOTICE!

Risk of short circuit!

Water and other liquids that have penetrated the housing may cause a short circuit.

- Never immerse XIO in water or other liquids.

NOTICE!

Risk of damage!

Improper handling of XIO may result in damage.

- Do not use any aggressive cleaners, brushes with metal or nylon bristles, or sharp or metallic utensils such as knives, hard scrapers and the like. They could damage the surface.

1. Disconnect the power cable of XIO from the power socket/outlet before cleaning.
2. Clean the surfaces of XIO with a clean lint-free cloth. If necessary, use an alcohol-free cleaner (e.g. screen cleaner, eyeglass lens cleaner) to remove stubborn stains.
3. The acoustic fabric is treated with surface waterproofing and dirt-resistant properties to ensure lasting quality. Use a soft cotton cloth to pick up loose debris from the surface. Alternatively, use a low-powered vacuum or a car vacuum cleaner to gently pull out anything stuck within the fabric or mesh grill.

13. Disposal

13.1 Disposing of the Packaging

Sort the packaging before you dispose of it. Dispose of paperboard, cardboard and wrappings in accordance with your local guidelines.

13.2 Disposing of the Speakers

Old appliances may not be disposed of in the household waste!

XIO is an electronic product and may not be able to be disposed of as household waste. Please dispose of it in accordance with the regulations in force in your city or county. This ensures that old appliances are recycled in a professional manner and reduces negative consequences.

13.3 Disposing of the Battery

Batteries may not be disposed of with household waste!


As the end user you are required by law to bring all batteries, regardless whether they contain harmful substances* or not, to a collection point run by the communal authority or to a retailer, so that they can be disposed of in an environmentally friendly manner.

* labeled with: Cd = cadmium, Hg = mercury, Pb = lead

14. FAQ and Troubleshooting

1. How to reset XIO?

Press and hold the reset button (RE) on the back panel until the indicator above the button blinks.



2. What should I do if I see the LED indications below?



Wi-Fi icon is blinking amber slowly.

1. Check and make sure the stability of your Wi-Fi network.
2. Reset and re-connect XIO to the network.
3. Alternatively, you can use a LAN cable to connect XIO directly to the router.



Source button and Volume Down button are blinking slowly.

XIO is unable to connect to a Wi-Fi network.

1. Disconnect the power cable from XIO.
2. Wait approximately 60 seconds.
3. Plug the power cable back to XIO.
4. Perform the firmware update again on the KEF Connect App.

Firmware update interrupted.
DO NOT RESET XIO.



On/off button is blinking.

There is a system error.

1. Disconnect the power cable from XIO.
2. Wait approximately 30 minutes.
3. Plug the power cable back to XIO to resume normal operation.

Note: System error may occur with improper power connection. Do not use a socket/outlet extender with XIO.



Wi-Fi icon, Bluetooth icon and on/off button are blinking quickly.

Overheat protection is activated.

Turn off XIO and wait about 15 minutes to let XIO cool down.

If the problem persists, please contact KEF customer service for support.

Note: The playback volume will be limited once overheat protection is activated. Ensure that no objects are blocking the front, bottom or back of XIO for proper heat dissipation.

3. Is my TV compatible with XIO?

To ensure the best compatibility with XIO, we recommend connecting it to a TV with an eARC interface. eARC (Enhanced Audio Return Channel) is the latest audio return channel technology that supports high-bitrate audio formats such as Dolby Atmos, Dolby TrueHD, Dolby Digital Plus, DTS:X, MPEG-H and 360 Reality Audio, if the TV supports those codecs. This ensures the best possible audio quality from XIO.

4. Why is the audio output from XIO out of sync with the video?

Use the audio sync or lip sync feature on your TV. Additionally, ensure all devices have the latest firmware updates.

5. How do I enable Dolby Atmos on XIO?

Ensure you are using an HDMI eARC/ARC connection and that both your TV and the content source support Dolby Atmos. Set your TV's audio output to "Bitstream", "Auto" or "Bypass" and select Dolby Atmos-enabled content.

6. How do I control the volume of XIO?

You can use the volume buttons on the XIO's top panel or remote control. If connected via HDMI ARC/eARC, you can use your TV's remote control to control the volume. XIO also supports volume control via KEF Connect app.

7. Why is there no sound output from XIO?

Check that both XIO and your TV are powered on and correctly connected to your TV's HDMI eARC/ARC port. Ensure your TV's audio output is set to "External Speaker" or "Soundbar." Also make sure CEC is enabled on your TV.

Try increasing the volume and ensure the input source is correct on XIO.

8. Can I connect XIO with a projector or laptop?

XIO HDMI (ARC/eARC) is designed to connect to a TV's ARC/eARC port.

Laptops usually have HDMI OUT ports for sending video and audio signals to external displays (such as monitors or TVs), not for sending audio signals directly to a soundbar.

XIO supports projectors with ARC/eARC output port.

9. What is the optimal room size for XIO?

The optimal room size is up to 40m².

15. Appendix

15.1 Specifications

Model	XIO
Dimensions (H × W × D)	70 × 1210 × 165 mm (2.8 × 47.6 × 6.5 in.)
Weight	10.5 kg (23.1 lbs)
Drive units	HF/MF: 6 x 50 mm (2 in.) Uni-Q MX driver HF/MF: 2 x 50 mm (2 in.) full range driver LF: 4 pcs of 50 x 180 mm (2 x 7 in.) P185 driver supported by VECO
Amplifiers	HF/MF: 8 x Class D LF: 4 x Class D
Max SPL (measured at 1 m)	102 dB
Frequency response (±3dB) (measured at 85 dB/1 m)	34 Hz – 20 kHz

Connectivity

Inputs	HDMI 2.1 eARC TOSLINK Optical USB Type C (service) RJ45 Ethernet (network)
Outputs	Wireless Subwoofer output RCA Subwoofer output
Wireless connectivity	KEF Connect AirPlay Google Cast UPnP Compatible Bluetooth 5.3

Streaming services	Spotify via Spotify Connect Tidal via Tidal Connect Amazon Music Qobuz Deezer QQ Music via Qplay HIGHRESAUDIO Internet Radio Podcast
	*Depends on services availability in different countries
Supported formats	Dolby Atmos, DTS:X, 360 Reality Audio, MPEG-H, FLAC, WAV, AIFF, ALAC, AAC, WMA, MP3, M4A, LPCM and Ogg Vorbis
	*Depends on support of the source device
Supported resolution	HDMI eARC up to 192 kHz/24 bit Network up to 384 kHz/24 bit Optical up to 96 kHz/24 bit
	*Depends on source resolution
Number of channels	Up to 5.1.2
Wi-Fi network frequency band	2.4 GHz / 5 GHz / 6 GHz
Wi-Fi network standard	IEEE 802.11a/b/g/n/ac/ax IPv4, IPv6
Power	
Amplifier output power	820 W (Instantaneous total power rating)
Power input	100 – 240 VAC 50/60 Hz
Power consumption	400 W (Maximum operating power) < 2.0 W (ECO mode standby power) < 0.5 W (Non Wi-Fi mode)

KEF reserves the right, in line with continuing research and development, to amend or change specifications. E&O.

15.2 Logos and Trademarks



Use of the Works with Apple badge means that an accessory has been designed to work specifically with the technology identified in the badge and has been certified by the developer to meet Apple performance standards.

The XIO is a premium speaker compatible with AirPlay. To use AirPlay with XIO, the latest version of iOS, iPadOS, or macOS is recommended. Apple and AirPlay are trademarks of Apple Inc., registered in the U.S. and other countries and regions. The trademark "iPhone" is used in Japan with a license from Aiphone K.K.

Google Cast is a trademark of Google LLC.

The Spotify Software is subject to third party licenses found here:

<https://www.spotify.com/connect/third-party-licenses>. Use your phone, tablet or computer as a remote control for Spotify. Go to [spotify.com/connect](https://www.spotify.com/connect) to learn how.

Dolby, Dolby Atmos, and the double-D symbol are registered trademarks of Dolby Laboratories Licensing Corporation. Manufactured under license from Dolby Laboratories. Confidential unpublished works. Copyright © 2012–2024 Dolby Laboratories. All rights reserved.

For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS, Inc. or DTS Licensing Limited. DTS, DTS:X, and the DTS:X logo are registered trademarks or trademarks of DTS, Inc. in the United States and other countries. © 2021 DTS, Inc. ALL RIGHTS RESERVED.

The MPEG-H Audio System logo is a trademark of Fraunhofer and is registered in Germany, the United States and other countries.

360 Reality Audio requires subscription to compatible music streaming service – subscription fees may apply. Compatible services may not be available in certain countries/regions.

Please visit sony.net/360RA/ to check compatibility of the service.

The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.


The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. Other trademarks and trade names are those of their respective owners.

For further information, please visit KEF.com

KEF reserves the right, in line with continuous research and development, to amend or change specifications without prior notice. E. & O.E.


15.3 Product Dimensions

15.3.1 X10



Unit: mm (inch)

15.3.2 Wall Mounting Kit



Unit: mm (inch)

15.4 Speaker Connection Test

The speaker connection test in KEF Connect shows you how much network bandwidth is available to your KEF wireless speaker system. It considers every stage of your network by downloading a file from a random server to the speakers – from the bandwidth provided by your internet service provider (ISP) and server traffic, all the way to the speed of the connection between your router and speakers. The other value shown is the 'ping.' This is a signal we use to check if the server is reachable and tells us how long it takes.

What speeds are needed for different services?

Different music streaming services have different recommendations depending on the audio file sizes involved:

Service	Minimum Recommended Bandwidth
Tidal (Master tier)	2 Mbps
Amazon Music (Ultra HD)	5-10 Mbps
Amazon Music (HD)	1.5 – 2 Mbps
Deezer	5 Mbps
Qobuz	10 Mbps

Note that these are minimum dedicated speeds recommended by the services themselves. KEF recommends 13 Mbps or above dedicated bandwidth to ensure stable streaming of large high resolution music files.

What this means is that your total network bandwidth must exceed the total bandwidth requirements of all devices on the network. If your active network devices need more bandwidth than what is available, then you may experience slower speeds, reduced performance and dropouts. This is not as much of a problem for web browsing or file downloads (except for being slower) but is especially problematic for music streaming.

My test score is a lot lower than what I pay my ISP for. Why?

The bandwidth provided by your ISP (Internet Service Provider) is advertised as 'up to' as this is the maximum bandwidth you can expect coming into your network. This can be affected by many things such as the quality of the provider's cabling, 'Fair Use' clauses in the agreement and the amount of people accessing the same server.

But even if you get the maximum advertised bandwidth from your ISP, the home network may be creating a bottleneck. Major factors include interference, obstructions and distance between the router and device. Even time of day can have an effect – if more people are using the internet in your area, that can reduce bandwidth. However, there are some simple things to try that can really help improve your test score.

Why is the score lower than other tests?

Internet connectivity tests are often optimised to give you a theoretical 'best scenario' speed and can be a good indicator for what your ISP is providing but will not tell you specifically what bandwidth your KEF speaker system will be able to take advantage of. The KEF Connect speaker connection test more closely represents what happens when using the speaker system normally:

	KEF Connect	Other
Server used for test	Random (Real world situation)	Nearest possible (Optimised, unrealistic)
Number of Connections opened	One (Works as your KEF speaker system would)	As many as possible (Artificially maximises your network throughput)
File(s) downloaded to...	KEF speaker system (Factors in the quality of the system's connection to the network)	Phone/Computer (May be in a higher/lower quality network area)

Improving your network experience

There are a few ways in which bandwidth may be improved. Some are very simple and require no knowledge of computers and routers, whilst others are slightly more advanced, involving changing router settings. Always refer to the router manual, and if in doubt, do consult a professional.

First, it is important to determine how your speaker system is connected to your router – wired by Ethernet cable or connected wirelessly.

If connected by Ethernet cable:

1. Ensure the router firmware is updated.

This is a basic step for any electronic device, as updated firmware may address known bugs.

2. Reboot the router.

Routers are basically computers and are affected by the same problems. Bugs and temporary errors can cause too much memory being used, or the router can be overheating (one reason to not place it in an enclosed space!). In addition, there may be IP address conflicts. Rebooting the router will often help with these issues. In fact, rebooting the router should be done on a regular basis, or whenever network performance is slower. Some routers even have the option to schedule reboots, so you can 'set and forget.'

3. Check the cable for damage/excessive kinks.

Cable length for home networks is rarely an issue (Cat 6 Ethernet can carry 10 Gbps over 37 m/121 ft for example), but if they are bent too far or damaged, performance can be compromised.

4. Reconsider using 'network homeplugs' if you are doing so.

These devices use your mains wiring as an extension of an Ethernet cable. Whilst a convenient solution, they don't always work as expected, as they are highly dependent on the quality and topology of your mains wiring.

If connected wirelessly:

Basic

Steps to take if using a wireless connection. These steps do not involve changing the settings of your router:

1. Ensure the router firmware is updated.

This is a basic step for any electronic device, as updated firmware may address known bugs.

2. Reboot the router.

Routers are basically computers and are affected by the same problems. Bugs and temporary errors can cause too much memory being used, or the router can be overheating (one reason to not place it in an enclosed space!). In addition, there may be IP address conflicts. Rebooting the router will help with all these issues and should be performed periodically (every 2 months or whenever the network seems considerably slower than normal).

3. Try connecting with an Ethernet cable to your router.

This may not always be possible, but if it is, going cabled will eliminate the issues described below.

4. Reduce distance between the router and device.

Wi-Fi signal is like sound – the further you move away from it, the 'quieter' it is – the less bandwidth is available.

5. Move transmitting devices away from the speakers.

Transmitting devices such as cordless phones, Bluetooth devices, baby monitors and even routers can cause interference if too close. You can troubleshoot by turning off nearby transmitters and seeing if this improves the network performance of the KEF speaker system. If it does, try increasing the distance between the devices.

6. Reduce obstructions between the router and device.

And just like with distance, obstructions can block signal, reducing bandwidth. Metal is the worst offender (reinforced concrete, back of mirrors), followed by concrete, plaster and brick. This is one of the big reasons to get the router out of the basement, or the cupboard under the stairs.

7. If your router is in a different room, try switching to the 2.4 GHz band.

Most modern routers are dual band. This means they transmit on both the 2.4 GHz band and the 5 GHz bands. The 5 GHz band has higher potential bandwidth, but far shorter range and is highly affected by obstructions. It may be possible that, whilst the 2.4 GHz band has a lower total bandwidth, in practice it is a better choice when the router and speakers are not in the same room.

8. If you have a lot of neighbours, or a lot of network devices, try the 5 GHz band.

If you have a lot of devices on the 2.4 GHz band, then there may be little available bandwidth left. If your KEF speaker system is close to the router and has little to no obstructions, try connecting it to the 5 GHz band for more bandwidth. If there are obstructions, try migrating network devices that are closer to the router to the 5 GHz band instead, freeing up bandwidth on the 2.4 GHz band. This is also useful if you have a lot of neighbours close by, as their networks may be interfering with yours.

Advanced

These steps are a little bit more advanced and may involve changing router settings. Always follow your router manual, or consult a professional:

1. Change your band channels.

Both 2.4 GHz and 5 GHz bands are comprised of multiple channels. Other nearby networks on the same channels will compete for bandwidth, so use a 'network analyser' app to determine which channels are less congested and adjust in your router settings. This issue is more common with 2.4 GHz due to the longer range and lower bandwidth, increasing the chance and severity of interference. 2.4 GHz channels also overlap – good options are generally 1, 6 and 11. Channel selection is often set to 'auto,' but some routers are better at swapping channels than others, so it can be useful to set the channel manually.

A note on 5 GHz channels – not all channels are open for public use in various countries. Check with your local authority as to which channels are unrestricted (most routers will automatically turn these off if the router is correctly configured for the country).

2. Disable band steering.

Some routers offer a feature called 'band steering.' The idea is that the router will automatically place a device onto the 5 GHz or 2.4 GHz depending on which is best for that device at the time. Again, some routers are better at this than others, with some preferring to stick with a weaker 5 GHz network rather than switching to a stronger 2.4 GHz network.

3. Disable combined SSID and operate separate 2.4 GHz and 5GHz channels.

Some devices allow you to set the same name/password for both 2.4 GHz and 5 GHz channels of your router. This can be very useful, but some devices do seem to want to default connecting to 2.4 GHz when 5 GHz would be better, and vice versa. Maintaining separate 2.4 GHz and 5GHz networks will help with optimising bandwidth by allowing you to manage what devices are placed on which network.

Mesh networks and Wi-Fi extenders

Mesh networks and Wi-Fi extenders can be very useful tools to improve network coverage in the home. However, they must be planned and installed correctly for the best performance. The information below is a summary of mesh network considerations - for more technical details or assistance in setting up a mesh network, please refer to the manufacturer or an expert network device retailer.

The most important thing to remember is that they are effectively repeaters – they receive data from the router, and then pass it on to the next node or device. This adds latency (delay), but they are also limited by available bandwidth – the connection between a router and a node is subject to the same issues outlined earlier – distance, obstructions and interference.

So, when designing a mesh network or planning where to place Wi-Fi extenders, budget for more nodes than you think you need, and place them closer together. This will help maximise the potential bandwidth.

It is also worth noting that different router manufacturers handle mesh technology differently, and there may be compatibility issues with networked devices. If this is the case when using a KEF wireless speaker system, please send a support request, including the speaker logs, through the KEF Connect app.

15.5 Power Consumption

Power consumption of XIO in different operation modes:

ECO Standby (Network Standby)	1.8 W
Standby (High Power Standby)	3 W
Non Wi-Fi mode* Standby	1.5 W
Non Wireless mode* Standby	0.45 W
ON (idle)	20 W
Non Wi-Fi mode* ON (idle)	20 W
Non wireless mode* ON (idle)	20 W

*Both Non Wi-Fi mode & Non Wireless modes are with HDMI auto-wake-up feature.

15.6 Explanation of symbols

15.6.1 Warning/Safety Symbols



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the products enclosure that may be of a sufficient magnitude to constitute a risk of electrical shock to persons.



The exclamation mark within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.



This symbol identifies products that belong to protection class II.

15.6.2 Regional Symbols

Europe and North America



This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources.

To dispose of your used device, please use the proper collection system or contact the retailer where the product was purchased, they may be able to take the product for environmentally safe recycling.



Products marked with this symbol meet all applicable Community regulations for the European Economic Area.



Products bearing the cTUVus Certification Mark reflect supplier commitment and confidence and have been independently confirmed to meet the minimum requirements of US and Canadian electrical safety standards.



This FCC mark certifies that the electromagnetic interference from the device is under the limits approved by the Federal Communications Commission in the US.



The UK Conformity Assessed marking is a conformity mark that indicates conformity with the applicable requirements for products sold within Great Britain (England, Wales and Scotland).

Asia-Pacific



The Regulatory Compliance Mark (Australia, New Zealand) indicates that the product complies with the relevant guidelines of the ACMA as well as corresponding government requirements for the safety of electrical devices.



The symbol indicates that the product meets the specified safety requirements of Singapore Consumer Protection Registration Scheme.



Imported by
KEF JAPAN

The Japan PSE Mark Certification indicates that the product meets the technical requirements of the Electrical Appliance and Material Safety Law (DENAN).



These marks indicate compliance with technical and design requirements for telecommunication terminal equipment in Japan.



The Korean Certification mark indicates that the product complies with Korea's product safety requirements for electrical and electronic equipment.



The China Quality Certification mark indicates the conformity of the product with the Chinese standards (Guobiao standards) regarding safety, quality, environmental and energy efficiencies.



The product is only suitable for use in areas under 2,000 m above sea level (China).



RoHS (China): This product contains certain hazardous substances and can be used safely during its environmental friendly use period (10 years). The product should enter into the recycling system after its environmental friendly use period.



RoHS

RoHS (Taiwan): This symbol means that the product does not exceed the specified concentration limits for specific hazardous substances.



The product obtained the certification from the Taiwan National Communications Commission (NCC) for low-power radio frequency appliances.



This MCMC certification mark indicates that a communications device is certified for compliance to standards according to the Communications and Multimedia (Technical Standards) Regulations 2000 in Malaysia.



Standby warning label for energy saving (Korea)



Products bearing this mark is a proof that the product has been approved by the United Arab Emirates (UAE) Federal Government through Emirates Authority for Standardization and Metrology (ESMA).

15.7 IR Command Codes

XIO works with universal programmable remote control provided that the remote control manufacturers have implemented KEF IR command codes in their remote controls.

The following table lists the command codes required.

Code Format:	NEC	
Factory Code:	0x01	
<hr/>		
	Functions	Function codes
1	Power on/off toggle	0x40
2	Mute/un-mute toggle	0x20
3	Play/Pause	0x18
4	Forward	0x52
5	Next source	0x58
6	Volume up	0x60
7	Volume down	0xA0
8	Backward	0xD2
9	Power ON	0x38
10	Power OFF	0x3A
11	Source: Wi-Fi	0x30
12	Source: Bluetooth	0x2A
13	Bluetooth pairing	0x98
14	Source: Optical	0x0A
15	Preset volume (30 %)	0x78
16	Source: HDMI	0x88
17	Previous source	0xD0
18	Favourite (customised in KEF Connect App)	0x99
19	EQ1 (customised in KEF Connect App)	0x77
20	EQ2 (customised in KEF Connect App)	0x55

For more support, please visit kef.com